


# Documentation Chart

Dental Sterilization Process Result Log Form  
For Bionova® Rapid Self Contained Biological Indicators

Institution \_\_\_\_\_



DATE & TIME

\_\_\_\_\_

INITIALS

\_\_\_\_\_

TYPE &  
STERILIZER NUMBER

\_\_\_\_\_


PRODUCT CODE  
OR LOT NUMBER

\_\_\_\_\_

RESULT  Accepted  Rejected

CONTROL

PASTE THE LABEL HERE



DATE & TIME

\_\_\_\_\_

INITIALS

\_\_\_\_\_

TYPE &  
STERILIZER NUMBER

\_\_\_\_\_


PRODUCT CODE  
OR LOT NUMBER

\_\_\_\_\_

RESULT  Accepted  Rejected

CONTROL

PASTE THE LABEL HERE



DATE & TIME

\_\_\_\_\_

INITIALS

\_\_\_\_\_

TYPE &  
STERILIZER NUMBER

\_\_\_\_\_


PRODUCT CODE  
OR LOT NUMBER

\_\_\_\_\_

RESULT  Accepted  Rejected

CONTROL

PASTE THE LABEL HERE



DATE & TIME

\_\_\_\_\_

INITIALS

\_\_\_\_\_

TYPE &  
STERILIZER NUMBER

\_\_\_\_\_

PRODUCT CODE  
OR LOT NUMBER

\_\_\_\_\_

RESULT  Accepted  Rejected

CONTROL

PASTE THE LABEL HERE